



■ Grout Life & Reseal Checklist

Test and track your spaces throughout the year

■ For Homeowners

- Kitchen & Bathroom Floors:
 - Perform the water drop test every 6 months (does water bead up?).
 - Schedule resealing every 2 years for high-traffic areas.
 - Wipe spills immediately to prevent staining.
 - Avoid acidic cleaners (vinegar, lemon, orange-based products).

- Showers & Tubs:
 - Check grout for discoloration, cracks, or darkening.
 - Reseal every 2 years, or sooner if water no longer beads.
 - Clean with pH-neutral cleaners only.

■ For Commercial Spaces

- Restaurants & Hotels:
 - Inspect grout monthly for dark stains or wear.
 - Reseal every 6–12 months due to heavy foot traffic.
 - Train cleaning staff: no acidic cleaners, use approved solutions.

- Retail, Churches, Schools:
 - Check entryways & lobbies quarterly (high soil areas).
 - Reseal every 12 months for consistent appearance.
 - Keep before/after photos on file to measure performance.

- Hospitals & Clinics:
 - Inspect floors monthly for wear, especially in patient areas.
 - Reseal every 6 months to meet hygiene standards.
 - Document each reseal cycle for compliance audits.

■ Quick Test Reminders

- If grout absorbs water within 30 seconds → time to reseal.
- If stains linger after cleaning → protective barrier is gone.
- If grout looks dull or patchy → reseal to restore uniform look.